| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-----------|---------|---|---|---------------------|---------|------------------|
| S10 0. | 1 | "20030023957" | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/01/01 11:10 |
| S10 1 | 1 | "20040177359" | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/01/01 11:13 |
| S10 2 | 769 | 717/116,117,140.ccls. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/01/01 11:23 |
| S10 3 | 2 | web near service same variable\$1 same declare\$1 same (call\$1back or respon\$4 or return\$3) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/01/09 14:17 |
| S10 4 | 4 | (web near service\$1) and (call\$back or respon\$3 or return\$3) same compil\$3 same client\$1 near2 proxy | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/01/01 11:47 |
| S10 5 | 15 | (web near service\$1) and compil\$3 same generat\$3 same client\$1 with proxy | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/01/01 11:59 |
| S10 6 | 23 | (web near service\$1) and compil\$3 same generat\$3 same client\$1 with (prox\$3 or stub\$1) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/01/01 11:59 |
| S10 7 | 22 | (web near service\$1) and compil\$3 same generat\$3 same client\$1 near5 (prox\$3 or stub\$1) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/01/01 12:11 |
| S10 8 | 2473091 | (web_near service\$1) and compil\$3 same generat\$3 same (client\$1 near5 (prox\$3 or stub\$1)) or meta\$5 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/01/01 12:11 |
| S10 9 | 60 | (web near service\$1) and compil\$3 same generat\$3 same ((client\$1 near5 (prox\$3 or stub\$1)) or meta\$5) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/01/03 11:25 |
| S11 0 | 118 | (web near service\$1) and compil\$3 same ((client\$1 near5 (prox\$3 or stub\$1)) or meta\$5) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR. | OFF | 2005/01/01 12:11 |
| S11 1 | 13 | (web near service\$1) and (generat\$3 same (client\$1 near5 (prox\$3 or stub\$1)) same (address or URL\$1)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/01/03 11:34 |

| S11 | 40 | (web near service\$1) and | US-PGPUB; | OR | OFF | 2005/01/03 11:35 |
|----------|----------|--|--|---------|-----|------------------|
| 2 | | (generat\$3 same client\$1 same (prox\$3 or stub\$1) same (address or URL\$1)) | USPAT; EPO; JPO; IBM_TDB | | | |
| S11 3 | 30 | S112 and @ay <= "2002" | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/01/03 12:16 |
| S11 6 | 1 | ("6615256").PN. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/01/03 12:35 |
| S11 7 | 1 | ("6681310").PN. | US-PGPUB; "USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/01/03 12:37 |
| S11 8 | 1 | ("6553387").PN. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/01/03 12:38 |
| S11 9 | 1 *** | ("6057847").PN. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/01/03 12:38 |
| S12 0 | 5 | (("5812768") or ("6070184") or ("6209018") or ("6230160") or ("6253252")).PN. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/01/03 18:02 |
| S12 1 | 10 | (("20010029604") or ("20010047385") or ("20020073236") or ("20020099738") or ("20020184264") or ("5970490") or | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/01/04 09:49 |
| | | ("6226675") or ("6314429") or ("6404445") or ("6449620")).PN. | | * | 10. | |
| S12 2 | 5 | S120 and state\$1 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/01/03 18:03 |
| S12 4 | 7 | S121 and state | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR , | OFF | 2005/01/03 18:05 |
| S12 5 | 3774 | (prox\$3 or stub\$1) with interface\$1 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/01/04 09:25 |
| S12 6 | . 5 | (("5812768") or ("6070184") or ("6209018") or ("6230160") or ("6253252")).PN. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/01/04 12:05 |

IDS

IDS

| S12 7 | 10 | (("20010029604") or ("20010047385") or ("20020073236") or | US-PGPUB; USPAT; EPO; JPO; | OR | OFF | 2005/01/04 12:05 |
|----------|-----|--|---|----|-----|------------------|
| | | ("20020099738") or ("20020184264") or ("5970490") or ("6226675") or ("6314429") or ("6404445") or ("6449620")).PN. | IBM_TDB | | | |
| S12 8 | 3 | S126 and queue\$1 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/01/04 12:24 |
| S12 9 | 250 | "1" and (queue\$1 same compiler) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/01/04 12:24 |
| S13 0 | 5 | (("5812768") or ("6070184") or ("6209018") or ("6230160") or ("6253252")).PN. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/01/04 12:25 |
| S13 1 | 0 | S130 and (queue\$1 same compiler) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/01/04 12:25 |
| S13 2 | 5 | (("5812768") or ("6070184") or ("6209018") or ("6230160") or ("6253252")).PN. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/01/04 13:55 |
| S13 3 | | (("20010029604") or ("20010047385") or ("20020073236") or ("20020099738") or ("20020184264") or ("5970490") or ("6226675") or ("6314429") or ("6404445") or ("6449620")).PN. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/01/04 13:55 |
| S13 4 | 2 | S132 and parse\$3 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/01/04 13:56 |
| S13 5 | 7 | S133 and pars\$3 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/01/04 14:06 |
| S13 6 | 9 | S133 and stor\$4 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/01/04 14:06 |
| S13 7 | 5 | (("5812768") or ("6070184") or ("6209018") or ("6230160") or ("6253252")).PN. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/01/04 15:19 |

| S13 | 10 | (("20010029604") or | US-PGPUB; | OR | OFF | 2005/01/04 15:19 |
|--|---------|--|---|----|------|------------------|
| 8 | | ("20010047385") or ("20020073236") or ("20020099738") or | USPAT; EPO; JPO; IBM_TDB | | | |
| | | ("20020184264") or ("5970490") or ("6226675") or ("6314429") or ("6404445") or ("6449620")).PN. | | | | |
| S13 9 | 0 | S137 and GUID | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/01/04 15:20 |
| S14 0 | 0 | S138 and GUID | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/01/04 15:20 |
| S14 | · 5 | (("5812768") or ("6070184") or ("6209018") or ("6230160") or | US-PGPUB; USPAT; | OR | OFF | 2005/01/05 08:50 |
| · |)*/, *. | ("6253252")).PN. | EPO; JPO; IBM_TDB | | | |
| S14 2 | 10 | (("20010029604") or ("20010047385") or ("20020073236") or ("20020099738") or ("20020184264") or ("5970490") or ("6226675") or ("6314429") or ("6404445") or ("6449620")).PN. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/01/05 08:50 |
| S14 3 | 48 | (map\$3 or convert\$3) same xml same bean\$1 | US-PGPUB; USPAT; | OR | OFF | 2005/01/05 11:05 |
| | | | EPO; JPO; IBM_TDB | ć | | |
| S14 4 | 4 | synchronous and ((map\$3 or convert\$3) same xml same bean\$1) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/01/05 10:29 |
| S14 5 | 71 | (map\$3 or convert\$3) same (xml or HTML) same bean\$1 | US-PGPUB; USPAT; | OR | OFF. | 2005/01/05 11:07 |
| ** \$4.5 ************************************ | | | EPO; JPO; IBM_TDB | | | |
| S14 6 | 40 | (map\$3 or convert\$3) same (xml or HTML) with bean\$1 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/01/05 11:07 |
| S14 7 | * 1 | "5943674".pn. | US-PGPUB; USPAT; | OR | OFF | 2005/01/06 13:22 |
| | - 10 m | | EPO; JPO; IBM_TDB | • | | |
| S14 8 | 8147 | (attach\$3 or append\$3) with parameter\$1 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/01/09 14:18 |

| S14 9 | 3077 | web near service and (call\$1back or respon\$4 or return\$3) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/01/09 14:17 |
|-----------|------|---|---|----|------|------------------|
| S15 0 | 40 | S148 and S149 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/01/09 14:17 |
| S15 1 | 815 | (attach\$3 or append\$3) with parameter\$1 same (callback\$1 or respon\$3 or return\$3) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/01/09 14:19 |
| S15 -2 | 17 | (web near service\$1) and S151 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF_ | 2005/01/09,14:19 |